



Save a Life™
Texas Department of Transportation



Center for Transportation Safety

Safety Research and Outreach

Pedestrian and Bicycle Law Training

Neal A. Johnson

neal-johnson@tti.tamu.edu

Joan G. Hudson

j-hudson@tti.tamu.edu



Introductions

1. Name and agency
2. How long have you been there/in law enforcement?
3. What are your expectations of this course?
 - Is there something specific you are looking to learn more about?




Course Logistics

- We encourage questions and discussion
- The course is split into 3 sections:
 - Section 1
 - Overview/Objectives/Laws
 - Definitions
 - Pedestrian & Bicyclist regulations
 - Section 2
 - Pedestrian & Bicyclist right-of-way
 - Common violations
 - Section 3
 - Crash Analysis Review
 - Crash Reporting
 - Prioritizing safety risk
- Pre and post tests
- Evaluations



Bicycle and Pedestrian Fatal Crashes in Texas





Course Overview

During this course, we will cover:

- Texas Transportation Code definitions of the rights and responsibilities for bicyclists and pedestrians
- A review of the importance of crash data
- Different bicyclist and pedestrian crash scenarios and how they should be reported
- Importance of enforcement



Course Objectives

- Motivation to increase enforcement for bicyclist and pedestrian safety
- Knowledge, skills, and abilities to conduct enforcement for bicyclist and pedestrian safety
- Knowledge, skills, and abilities to accurately complete crash reports for bicyclist and pedestrian related crashes





What the Laws tell us...and what they don't

- There are definite “gray” areas in the law.
- The training is based on our interpretation of the laws.
- The goal of the training is to equip you with as much knowledge of the laws and what they mean.
 - Officer discretion
- Do you already have some questions about gray areas in the laws?






Sidewalk Definition

The Texas Transportation Code (Sec.541.302(16)) defines a sidewalk as the portion of a street that is:

- A. between a curb or lateral line of a roadway and the adjacent property line; and
- B. intended for pedestrian use.





Sidewalk Definition

According to this definition a sidewalk is simply the area intended for pedestrians that is between the curb or lateral line of a road and the property line.

This means that sidewalks do not necessarily have to be paved to be considered a sidewalk.

However, it does need to be “accessible to the pedestrian” (Sec. 552.006)





Crosswalk Definition

According to the Texas Transportation Code (Sec. 541.302(2)) a crosswalk is defined as:



- A. the portion of a roadway, including an intersection, designated as a pedestrian crossing by surface markings, including lines; or
- B. the portion of a roadway at an intersection that is within the connections of the lateral lines of the sidewalks on opposite sides of the highway measured from the curbs or, in the absence of curbs, from the edges of the traversable roadway.



Crosswalks



- **Most** 4-way intersections have crosswalks on all four legs even if it is not marked with lines. Look for an indication of sidewalks and the continuation of the lateral lines across the roadway.





Marked Crosswalks



(Images from Google Maps)



Unmarked Crosswalks



(Image from Google Maps)



What about 3-way Intersections?





Crash Example #1



FACTORS & CONDITIONS	36 Contributing Factors (Investigator's Opinion)					37 Vehicle Defects (Investigator's Opinion)					Environmental and Roadway Conditions						
	Unit #	Contributing		May Have Contrib.		Contributing		May Have Contrib.		38 Weather Cond.	39 Light Cond.	40 Entering Roads	41 Roadway Type	42 Roadway Alignment	43 Surface Condition	44 Traffic Control	
	2	59									2	1	97	2	1	1	11

Investigator's Narrative Opinion of What Happened
(Attach Additional Sheets if Necessary)

RELATED CASE NUMBER IS 294080-2017. UNIT 1 WAS GOING NORTHEAST ON COLUMBIA AVE, AT S ORIENT ST, IN THE INSIDE TRAFFIC LANE. UNIT 2, A PEDESTRIAN, WAS WALKING NORTHWEST ACROSS COLUMBIA AVE. UNIT 2 WAS IN AN UNMARKED CROSSWALK AREA AT THE INTERSECTION.

- Unit 1 (vehicle) was in inside lane.
- Unit 2 (pedestrian) was in an unmarked crosswalk at an intersection.
- No traffic control for unit 1.
- Witness said no vehicles speeding or driving recklessly.
- Unit 2 died as a result of injuries.
- Pending toxicology report for unit 2.

RESULTS FOR UNIT 2. THIS IS TRAFFIC FATALITY #155 FOR THE DALLAS POLICE DEPARTMENT FOR 2017. DETECTIVE J STACEY #10023 RESPONDED TO THE SCENE FROM THE VEHICLE CRIMES UNIT. SGT O PRICE #7464 WAS THE TRAFFIC SUPERVISOR AT THE SCENE. NFI.

Field Diagram - Not to Scale



Crash Example #1



- Unit 1 (vehicle) was in inside lane.
- Unit 2 (pedestrian) was in an unmarked crosswalk at an intersection.
- No traffic control for unit 1.
- Witness said no vehicles speeding or driving recklessly.
- Unit 2 died as a result of injuries.
- Pending toxicology report for unit 2.





Pedestrian Regulations



- Use of sidewalks (TTC 552.006)
 - Pedestrians must use a sidewalk if one is *available and accessible* to them.
 - If there are no sidewalks, a pedestrian shall walk on the left side of the road or shoulder facing oncoming traffic, unless the left side of the roadway or the shoulder of the highway facing oncoming traffic is obstructed or unsafe.



Pedestrian Regulations



- A pedestrian may not suddenly leave a curb or other place of safety and proceed into a crosswalk in the path of a vehicle so close that it is impossible for the vehicle operator to stop and yield. (TTC 552.003b)



Pedestrian Regulations



- Driver to Exercise Due Care (552.008)
 - Due care to avoid collision
 - Give warning (sounding horn)
 - Proper precautions around children and confused or incapacitated persons



Crash Example #2



FACTORS & CONDITIONS	36 Contributing Factors (Investigator's Opinion)					37 Vehicle Defects (Investigator's Opinion)					Environmental and Roadway Conditions						
	Unit #	Contributing		May Have Contrib.		Contributing		May Have Contrib.		38 Weather Cond.	39 Light Cond.	40 Entering Roads	41 Roadway Type	42 Roadway Alignment	43 Surface Condition	44 Traffic Control	
	2	59									1	2	2	1	1	1	96

Investigator's Narrative Opinion of What Happened
(Attach Additional Sheets if Necessary)

Unit 1 was traveling west on Mesa Dr. A pedestrian in a wheelchair was travelling west on Mesa Dr., facing west with his back to traffic. The pedestrian was not on the left side of the roadway or on the shoulder of the highway facing oncoming traffic as required by law. Unit 1 struck the pedestrian on its left rear side. The pedestrian and wheelchair were pushed into the barrow ditch of Mesa Dr., and came to rest with moderate damage to the wheelchair and incapacitating injuries to the pedestrian. Unit 1 came to rest facing west on Mesa Dr. with minimal right front quarter panel damage.

Field Diagram - Not to Scale

- Unit 1 traveling west.
- Unit 2 is a pedestrian in a wheelchair.
- Pedestrian was not on the left side of the roadway facing oncoming traffic.
- Pedestrian and wheelchair pushed into the ditch.



Crash Example #2



- Unit 1 traveling west.
- Unit 2 is a pedestrian in a wheelchair.
- Pedestrian was not on the left side of the roadway facing oncoming traffic.
- Pedestrian and wheelchair pushed into the ditch.





Bicycle & Micro-Mobility Regulations



- The Texas Transportation Code states that bicyclists have the same rights and duties as a motor vehicle driver. (TTC, 551.101)
- The same applies to motor-assisted scooters. (TTC, 551.352)
- Bicycle & motor- assisted scooter operators have the same rights and duties as drivers of vehicles. This includes...



Bicycle & Micro-Mobility Regulations



- Stop at stop signs and red lights



(TTC, 551.101)



Bicycle & Micro-Mobility Regulations




(TTC, 551.101, 545.104-107)



Bicycle & Micro-Mobility Regulations



- Bicyclists riding at night are required to have:



Front light must be visible from at least 500 feet away

Red light must be visible from 500 feet away

Red reflector must be visible from 50-300 feet away

(TTC, 551.104)



Bicycle & Micro-Mobility Regulations



(TTC, 551.101)



Bicycle & Micro-Mobility Regulations



- Ride as far to the right as practicable.



(TTC, 551.103)



Bicycle & Micro-Mobility Regulations



- Bicyclists are allowed to ride in the travel lane, even when a bike lane is present for a few reasons (TTC, 551.103):



Bicycle & Micro-Mobility Regulations



- To avoid obstructions and uneven surfaces





Bicycle & Micro-Mobility Regulations



- To make a left turn





Bicycle & Micro-Mobility Regulations



- If the travel lane is less than 14 feet wide or if it is too narrow for a bicycle and motor vehicle to safely travel side-by-side.





Bicycle & Micro-Mobility Regulations



- A bicyclist is also allowed to travel on the **left** side of the road on a one-way street.



(TTC, 551.103)



Crash Example #3



FACTORS & CONDITIONS	36 Contributing Factors (Investigator's Opinion)					37 Vehicle Defects (Investigator's Opinion)					Environmental and Roadway Conditions					
	Unit #	Contributing		May Have Contrib.		Contributing		May Have Contrib.		38 Weather Cond.	39 Light Cond.	40 Entering Roads	41 Roadway Type	42 Roadway Alignment	43 Surface Condition	44 Traffic Control
	2	98									1	3	98	4	2	1

Investigator's Narrative Opinion of What Happened
(Attach Additional Sheets if Necessary)

Field Diagram - Not to Scale

- Unit 1 is motor vehicle.
- Unit 2 is bicycle.
- Lighting conditions were dark – lighted.
- Unit 2 had no lights.
- Unit 1 took the split of the road to the right.
- According to witness, unit 2 veered to the left.
- According to witness, unit 2 did not signal.
- Unit 2 hit side of unit 1.



Crash Example #3



- Unit 1 is motor vehicle.
- Unit 2 is bicycle.
- Lighting conditions were dark – lighted.
- Unit 2 had no lights.
- Unit 1 took the split of the road to the right.
- According to witness, unit 2 veered to the left.
- According to witness, unit 2 did not signal.
- Unit 2 hit side of unit 1.





Bicycle & Micro-Mobility Regulations

- By Texas law, micro-mobility (or motor-assisted scooters) may operate on streets with speeds limit of up to 35 mph, but a local jurisdiction may prohibit use on certain roads/sidewalks. (TTC, 551.352)





Bicycle & Micro-Mobility Regulations



- Unless prohibited by city ordinance, a bicyclist has the right to ride on the sidewalk.
- TTI interprets TTC 545.428 to say bicyclists using the crosswalk are treated more as a pedestrian





Lisa Torry Smith Act

Sec. 545.428. MOTOR VEHICLE COLLISION INVOLVING PEDESTRIAN OR OTHER VULNERABLE ROAD USER WITHIN AREA OF CROSSWALK; OFFENSE.

(a) In this section:

- (1) "Electric personal assistive mobility device" has the meaning assigned by Section 551.201.
- (2) "Golf cart" has the meaning assigned by Section 551.401.
- (3) "Motor-assisted scooter" has the meaning assigned by Section 551.351.
- (4) "Neighborhood electric vehicle" has the meaning assigned by Section 551.301.

(b) **A person commits an offense if the person with criminal negligence:**

- (1) operates a motor vehicle within the area of a crosswalk; and**
- (2) causes bodily injury to a pedestrian or a person operating a bicycle,** motor-assisted scooter, electronic personal assistive mobility device, neighborhood electric vehicle, or golf cart.

(c) An offense under this section is a Class A misdemeanor, except that the offense is a state jail felony if the person described by Subsection (b)(2) suffered serious bodily injury.

(d) It is an affirmative defense to prosecution under this section that, at the time of the offense, the person described by Subsection (b)(2) was violating a provision of this subtitle relating to walking, movement, or operation in a crosswalk or on a roadway.



Bicyclists Using a Crosswalk

- Lisa Torry Smith Act (545.428) clarifies that a bicyclist lawfully crossing at a crosswalk has the right-of-way as compared to a motor vehicle operator.
- Using the definition of crosswalk as described earlier, a crosswalk exists between the two points of a sidewalk where an opening for a public way meant for vehicular travel exists, then this provision grants the right-of-way to a bicyclist encountering a motor vehicle in a crash.
- In addition, according to 545.351, an operator:
 - (1) **may not drive a vehicle at a speed greater than is reasonable and prudent under the conditions** and having regard for actual and potential hazards then existing; and
 - (2) **shall control the speed of the vehicle as necessary to avoid colliding with another person or vehicle** that is on or entering the highway in compliance with law and the duty of each person to use due care.




Crash Example #4



FACTORS & CONDITIONS	36 Contributing Factors (Investigator's Opinion)					37 Vehicle Defects (Investigator's Opinion)					Environmental and Roadway Conditions						
	Unit Num.	Contributing			May Have Contrib.	Contributing			May Have Contrib.	38 Weather Cond.	39 Light Cond.	40 Entering Roads	41 Roadway Type	42 Roadway Alignment	43 Surface Condition	44 Traffic Control	
	2	36															
										2	1	97	1	1	1	8	


Field Diagram – Not to Scale

- Unit 1 (driver) stopped at stop sign, before sidewalk.
- Unit 1 slowly moved forward so they could see traffic heading west (from right to left).
- Unit 2 (bicyclist) struck the vehicle heading east (from left to right).
- Unit 2 was coming down a hill.
- Unit 1 said bushes blocked view of unit 2.
- Unit 2 said unit 1 pulled out in front of them.
- Officer said the bicycle on the sidewalk did not yield right-of-way to unit 1.





Crash Example #4



- Unit 1 (driver) stopped at stop sign, before sidewalk.
- Unit 1 slowly moved forward so they could see traffic heading west (from right to left).
- Unit 2 (bicyclist) struck the vehicle heading east (from left to right).
- Unit 2 was coming down a hill.
- Unit 1 said bushes blocked view of unit 2.
- Unit 2 said unit 1 pulled out in front of them.
- Officer said the bicycle on the sidewalk did not yield right-of-way to unit 1.



Bicycle & Micro-Mobility Regulations



- The Texas Transportation Code requires a vehicle to pass a bicyclist “**at a safe distance.**” However, it does not define what a safe distance is.



(TTC, 545.053, 551.101)



Bicycle Safe Passing Video





Additional Bicycle Regulations



- Working brakes (551.104)
- Only ride astride a permanent and regular seat attached to the bike. (551.102)
- May not carry more persons than designed to (551.102)





Additional Bicycle Regulations



- Carrying of large objects that prevent you from having at least one hand on the handlebars (551.102)
- May not attach to another vehicle (551.102)





Additional Bicycle Regulations



- May ride two abreast (551.103c)
 - In a single lane
 - May not impede normal and reasonable traffic flow
 - May not ride more than two unless on a part of the roadway set aside for bicycles.





Micro-mobility



Safety information from the provider:

- Obey traffic laws
 - State laws
 - Consult any local ordinances
- Where to ride
 - Not on the sidewalk
- Age restrictions
- Helmet use
(not required by law)



(Pictures by: Neal Johnson)



END OF SECTION 1

What is one key takeaway from the first section of the course?



Right-of-Way Definition



- The right of one vehicle or pedestrian to **proceed** in a lawful manner **in preference to another vehicle or pedestrian** that is approaching from a direction, at a speed, and within a proximity that could cause a collision unless one grants precedence to the other.
(TTC, 541.401)



Right-of-Way Definition

- To yield is to give way, letting others go first.
- Traffic control devices (signals, signs and markings) tell the road user how to behave and indicate who has the right of way.
- Where no traffic control devices exist, basic rules of the road apply
- Road users include motor vehicles, bicyclists, pedestrians, and others.
- Who yields to whom may be seen as simple, but in reality, it can be quite complicated.



Pedestrian Right-of-Way

- The operator of a vehicle shall **stop and yield** the right-of-way to a pedestrian crossing a roadway in a crosswalk if:
 - 1) no traffic control signal is in place or in operation; and
 - 2) the pedestrian is:
 - a) on the half of the roadway in which the vehicle is traveling; or
 - b) approaching so closely from the opposite half of the roadway as to be in danger.



Pedestrian Right-of-Way

- 544.010c – definition of where to stop

Now reads: “An operator required to stop by this section shall stop at a clearly marked stop line. In the absence of a clearly marked stop line, the operator shall stop before entering the crosswalk on the near side of the intersection. In the absence of a clearly marked stop line or crosswalk, the operator shall stop at the place nearest the intersecting roadway where the operator has a view of approaching traffic on the intersecting roadway.”



Pedestrian Right-of-Way

- Right-of-way at signalized intersections is dictated by:
 - A separate pedestrian signal (if equipped).



(TTC, 552.002)



Pedestrian Right-of-Way

- Pedestrians are required to follow the pedestrian signals and cross only on the walk signal.
 - A pedestrian should not enter the crosswalk when it says DON'T WALK or WAIT or when the red hand is lit or flashing.



(TTC, 552.002)



Pedestrian Right-of-Way

- If no pedestrian signals are installed or in operation, the pedestrian should cross a street when the signal light is green in their direction of travel.





Pedestrian Right-of-Way

- At all 4-way intersections not controlled by a traffic signal, pedestrians have the right-of-way, even at intersections with stop control only in one direction.



(TTC, 552.003)



Pedestrian Right-of-Way

- However, when crossing the road at a point other than a 4-way intersection or marked crosswalk a pedestrian must yield the right-of-way to all vehicles.



(TTC, 552.005)



Pedestrian Right-of-Way

- It is illegal for a pedestrian to cross a road between two adjacent intersections at which traffic control signals are in use.



(TTC, 552.005)



Pedestrian Right-of-Way

- Motorists making turns while the signal light is green or when there is a flashing yellow arrow are required to stop and yield the right-of-way to pedestrians on their left and right.



(TTC, 552.002)



Pedestrian Right-of-Way

- Unless motorists are making a turn in accordance with a green lighted arrow.




(TTC, 552.001 & 002)



Pedestrian Right-of-Way


- If the intersection uses a pedestrian only phase, driver and pedestrian movements each receive a separate signal phase where pedestrians cross from all directions at the same time.





Pedestrian Right-of-Way

- Motorists are also required to stop and yield to pedestrians who are in a marked crosswalk that is **NOT** at an intersection.





Pedestrian Right-of-Way

- A motorist approaching another vehicle from behind may not pass that vehicle if they are stopped to allow a pedestrian to cross the roadway.





Pedestrian Right-of-Way (Video)





Crash Example #5

Determining Right of Way



- Right turning vehicle (blue arrow) turned first in front of pedestrian during "WALK" signal
- Pedestrian (red arrow) began crossing after "DON'T WALK" signal had begun flashing
- Car turning left (yellow arrow) on green light, not green arrow



Contributing Factors

36. Factors and Conditions

- 1 = Animal on Road - Domestic
- 2 = Animal on Road - Wild
- 3 = Backed without Safety
- 4 = Changed Lane when Unsafe
- 14 = Disabled in Traffic Lane
- 15 = Disregard Stop and Go Signal
- 16 = Disregard Stop Sign or Light
- 17 = Disregard Turn Marks at Intersection
- 18 = Disregard Warning Sign at Construction
- 19 = Distraction in Vehicle
- 20 = Driver Inattention
- 21 = Drove Without Headlights
- 22 = Failed to Control Speed
- 23 = Failed to Drive in Single Lane
- 24 = Failed to Give Half of Roadway
- 25 = Failed to Heed Warning Sign
- 26 = Failed to Pass to Left Safely
- 27 = Failed to Pass to Right Safely
- 28 = Failed to Signal or Gave Wrong Signal
- 29 = Failed to Stop at Proper Place
- 30 = Failed to Stop for School Bus
- 31 = Failed to Stop for Train
- 32 = Failed to Yield ROW – Emergency Vehicle

- 33 = Failed to Yield ROW – Open Intersection
- 34 = Failed to Yield ROW – Private Drive
- 35 = Failed to Yield ROW – Stop Sign
- 36 = Failed to Yield ROW – To Pedestrian
- 37 = Failed to Yield ROW – Turning Left
- 38 = Failed to Yield ROW – Turn on Red
- 39 = Failed to Yield ROW – Yield Sign
- 40 = Fatigued or Asleep
- 41 = Faulty Evasive Action
- 42 = Fire in Vehicle
- 43 = Fleeing or Evading Police
- 44 = Followed Too Closely
- 45 = Had Been Drinking
- 46 = Handicapped Driver (Explain in Narrative)
- 47 = Ill (Explain in Narrative)
- 48 = Impaired Visibility (Explain in Narrative)
- 49 = Improper Start from Parked Position
- 50 = Load Not Secured
- 51 = Opened Door Into Traffic Lane
- 52 = Oversized Vehicle or Load
- 53 = Overtake and Pass Insufficient Clearance
- 54 = Parked and Failed to Set Brakes
- 55 = Parked in Traffic Lane

- 56 = Parked without Lights
- 57 = Passed in No Passing Lane
- 58 = Passed on Right Shoulder
- 59 = Pedestrian FTYROW to Vehicle
- 60 = Unsafe Speed
- 61 = Speeding – (Over Limit)
- 62 = Taking Medication (Explain in Narrative)
- 63 = Turned Improperly – Cut Corner on Left
- 64 = Turned Improperly – Wide Right
- 65 = Turned Improperly – Wrong Lane
- 66 = Turned when Unsafe
- 67 = Under Influence – Alcohol
- 68 = Under Influence – Drug
- 69 = Wrong Side – Approach or Intersection
- 70 = Wrong Side – Not Passing
- 71 = Wrong Way – One Way Road
- 72 = Cell/Mobile Phone Use
- 73 = Road Rage
- 98 = Other (Explain in Narrative)

AND CONDITIONS



Bicyclist Right-of-way

- A person operating a bicycle has the same rights and responsibilities as a driver operating a vehicle (TTC, 552.101).

As such,

- The bicyclist must yield to the vehicle that arrived before them at an all-way stop.
- The bicyclist must yield to the opposing through vehicles when turning left at an intersection.





Bicyclist Right-of-way





Bicyclist Right-of-way



A person may operate a bicycle in an outside lane that is:

- Less than 14 feet in width and does not have a designated bicycle lane adjacent to that lane; or
- Too narrow for a bicycle and a motor vehicle to safely travel side by side.



(TTC, 551.103)





Crash Example #6

Bicyclist Taking the Lane



Investigator's Narrative Opinion of What Happened (Attach Additional Sheets if Necessary)

UNIT 1 & 2 WERE EAST BOUND IN THE 1200 BLK OF W HOWARD LN IN THE OUTSIDE LANE. UNIT 1 WAS TRAVELING BEHIND UNIT 2 IN LOW LIGHT. UNIT 1 DID NOT SEE UNIT 2 UNTIL IT WAS TOO LATE AND STRUCK UNIT 2'S REAR END CAUSING UNIT 2 RIDER TO FALL TO THE GROUND. UNIT 2 RIDER SUSTAINED MINOR INJURIES AND REFUSED TRANSPORT TO A HOSPITAL BY EMS. UNIT 2 WAS DAMAGED TO THE POINT WHERE IT HAD TO BE CARRIED FROM THE SCENE. UNIT 2 DISPLAYED SEVERAL ILLUMINATED FLASHING LIGHTS ON THE FRONT AND REAR OF THE BICYCLE AS WELL AS THE RIDER WAS WEARING A BRIGHT YELLOW COLORED SHIRT FOR VISIBILITY. UNIT 1 DRIVER STATED THAT HE SIMPLY DID NOT SEE UNIT 2. NOIWN4958

- Unit 1 & 2 were eastbound in the outside lane.
- Unit 1 was traveling behind Unit 2 in low light.
- Unit 1 struck Unit 2 from behind.
- Unit 2 had several illuminated flashing lights on the front and rear of the bicycle.
- The Unit 2 rider was wearing a bright colored shirt.
- Unit 1 driver stated that he did not see Unit 2.

Field Diagram - Not to Scale



Not To Scale



NARRATIVE AND DIAGRAM



Motorist /Bicyclist Right-of-way



**YIELD
TO BICYCLISTS
IN THE BIKE LANE**



(TTC, 545.101, 545.103, 541.401, 551.101)



Crash Example #7

Right Hook



FACTORS & CONDITIONS	36 Contributing Factors (Investigator's Opinion)					37 Vehicle Defects (Investigator's Opinion)					Environmental and Roadway Conditions							
	Unit #	Contributing		May Have Contrib.			Contributing		May Have Contrib.			38 Weather Cond.	39 Light Cond.	40 Entering Roads	41 Roadway Type	42 Roadway Alignment	43 Surface Condition	44 Traffic Control
	1	98											2	1	2	1	1	1

NARRATIVE AND DIAGRAM	<p>Investigator's Narrative Opinion of What Happened (Attach Additional Sheets if Necessary)</p> <p>UNIT 1 WAS TRAVELING NORTH IN THE RIGHT LANE OF THE 1100 BLOCK OF S LAMAR BLVD. UNIT 2, A BICYCLE, WAS TRAVELING NORTH IN THE BICYCLE LANE. ACCORDING TO AN INDEPEDENT WITNESS, UNIT 1 WAS WELL AHEAD OF THE BICYCLE AND ACTIVATED ITS RIGHT TURN SIGNAL TO MAKE A RIGHT ONTO W GIBSON ST. UNIT 1 BEGAN THE TURN, AND UNIT 2 RAN INTO THE RIGHT BACK QUARTER. THE BICYCLIST COMPLAINED OF NECK PAIN AND WAS TRANSPORTED TO SOUTH AUSTIN HOSPITAL.</p>	<p>Field Diagram - Not to Scale</p>
-----------------------	---	-------------------------------------





Motorist /Bicyclist Right-of-way



- Motorists are also required to yield to an oncoming bicyclist when making a left turn.



(TTC 545.152,
551.101)



Crash Example #8

Motorist Turning Left




- Bicyclist going straight (toward camera)
- Motorist turning left on permissive (green ball) left
- Motorist failed to yield to thru bicyclist





Motorist /Bicyclist Right-of-way

Shared Use Paths





Right of Way Order

Shared Use Paths



- Crosswalk for pedestrians
- Motorist has a warning sign for bike crossing. No yield or stop sign
- Yield sign for bikes crossing



Crash Example #9 (continued)

St. Petersburg, Florida





Crash Example #9

Shared Use Path





Crash Example #9 (continued)

Crash Report Exercise

Fillable form is on the TxDOT website:

Law Enforcement and TxDOT Use ONLY

☐ FATAL ☐ CMV ☐ SCHOOL BUS ☐ RAILROAD ☐ MAB ☐ SUPPLEMENT ☐ ZONE

ACTIVE SCHOOL ZONE

Total Num. Units: Total Num. Prns.: TxDOT Crs:

Texas Peace Officer's Crash Report (Form CR-3 4/1/2023)

Refer to the attached code sheet for numbered fields Questions? Call 844/274-7457

*=These fields are required on all additional sheets submitted for this crash (ex.: additional vehicles, occupants, injured, etc.)

IDENTIFICATION & LOCATION

*Crash Date (MM/DD/YYYY) *Crash Time (24HRMM) Case ID Local Use

*County Name *City Name

In your opinion, did this crash result in at least \$1000 damage to any one person's property? ☐ Yes ☐ No Latitude (decimal degrees) Longitude (decimal degrees)

ROAD ON WHICH CRASH OCCURRED

*1 Rdwy. Sys. *Hwy. Num. 2 Rdwy. Part Block Num. 3 Street Prefix *Street Name

☐ Private Drive or Road, Private Property, Parking Lot ☐ 3 Dir. of Traffic ☐ Toll Road/Toll Lane ☐ Speed Limit ☐ Const. Zone ☐ Yes ☐ No ☐ Workers Present ☐ Yes ☐ No ☐ Secondary Crash ☐ Yes ☐ No ☐ Street Desc.

INTERSECTING ROAD, OR IF CRASH NOT AT INTERSECTION, NEAREST INTERSECTING ROAD OR REFERENCE MARKER

At Int. ☐ Yes ☐ No 1 Rdwy. Sys. Hwy. Num. 2 Rdwy. Part Block Num. 3 Street Prefix Street Name

Distance from Int. or Ref. Marker ☐ FT ☐ MI 3 Dir. from Int. or Ref. Marker Ref. Marker Speed Limit Street Desc. RRX Num.

Unit Num. 5 Unit Desc. ☐ Parked Vehicle ☐ Hit and Run LP State LP Num. VIN

Veh. Year 6 Veh. Color Veh. Make Veh. Model 7 Body Style

☐ Responder Struck (Explain in Narrative if checked) 8 Autonomous Unit 9 Autonomous Level Engaged ☐ Police (Explain)

10 DL/ID Type DL/ID State DL/ID Num. 11 DL Class 12 CDL End. 13 DL Rest. DOB (MM/DD/YYYY)

Address (Street, City, State, ZIP)

VEHICLE DRIVER & PERSONS

Person Num. 14. Prin. Type 15 Seat Position Name: Last, First, Middle Enter Driver or Primary Person for this Unit on first line

16 Injury Severity 17 Age 18 Ethnicity 19 Sex 20 Eject. 21 Reintr. 22 Airbag 23 Helmet 24 Sol. 25 Alc. Spec.

☐ Owner ☐ Lessee Owner/Lessee Name & Address

Proof of Fin. Resp. ☐ Yes ☐ No ☐ Expired ☐ Exempt 28 Fin. Resp. Type Fin. Resp. Name Fin. Resp. Num.

29 Vehicle Damage Rating 1 29 Vehicle Damage Rating 2 Vehicle Inventoried ☐ Yes ☐ No

Towed Towed

38 Contributing Factors (Investigator's Opinion)

Unit # Contributing May Have Contrib. 39 Vehicle Defects (Investigator's Opinion) Contributing May Have Contrib. Environmental and Roadway Conditions 40 Weather Cond. 41 Light Cond. 42 Entering Roads 43 Roadway Type 44 Roadway Alignment 45 Surface Condition 46 Traffic Control

Investigator's Narrative Opinion of What Happened (Attach Additional Sheets if Necessary) Indicate North Field Diagram - Not to Scale

INVESTIGATOR

Date Notified (MM/DD/YYYY) Time Notified (24HRMM) How Notified

Date Arrived (MM/DD/YYYY) Time Arrived (24HRMM) Report Date (MM/DD/YYYY)

Date Roadway Cleared (MM/DD/YYYY) Time Roadway Cleared (24HRMM) Date Scene Cleared (MM/DD/YYYY) Time Scene Cleared (24HRMM)

Investigation Complete ☐ Yes ☐ No Investigator Name (Printed) ID Num.

ORI Num. *Agency Service/Region/DA

Not Applicable - Alcohol and Drug Results are only reported for Driver/Primary Person for each Unit.

Texas A&M Transportation Institute



Common Violations

- This section is an overview of some of the other common laws that you may see during enforcement efforts.





Common Violations

- Texas has a statewide texting ban.



(TTC 545.4251)



Common Violations



- Impairment





(Texas Penal Code, 49.04)



Common Violations



- Disregarding signal or stop sign – all vehicles



(TTC, 545.151, 551.101, 552.001-003)



Common Violations



- Door Zone Laws



(TTC, 545.418)



- Unit 1 was parked in outside lane.
- Unit 2 (bicycle) was traveling southbound in the bike lane.
- Unit 1 passenger door opened.
- Unit 2 (bicycle) struck the open door.



Bicyclists being Doored





END OF SECTION 2

What is one key takeaway from the second section of the course?



Top Pedestrian Crash Contributing Factors

Contributing Factors of Drivers

CF Category	n	%
FTYROW	3407	34.4%
Distraction (other than cell phone)	2867	29.0%
Person Failure	2450	24.7%
Other	1401	14.2%
Impaired	837	8.5%
Impaired Visibility	409	4.1%
Speed	421	4.3%
Disabled in Traffic Lane	238	2.4%
Person Disregard	294	3.0%
Turned Improperly	193	1.9%

Contributing Factors of Pedestrians

CF Category	n	%
FTYROW	8308	77.8%
Other	2074	19.4%
Impaired	1215	11.4%
Person Disregard	106	1.0%
Distraction (other than cell phone)	104	1.0%
Cell Phone Use	89	0.8%
Impaired Visibility	47	0.4%
Ill	45	0.4%
Person Failure	34	0.3%
Disabled in Traffic Lane	32	0.3%

- Could the “disabled in traffic lane” point to stranded motorists after a vehicle break-down, flat tire, or post-crash response?
- What has your experience been when using this contributing factor?



Top Bicycle Crash Contributing Factors

Contributing Factors of Drivers

CF Category	n	%
FTYROW	1567	39.9%
Distraction (other than cell phone)	1220	31.0%
Person Failure	873	22.2%
Other	349	8.9%
Impaired Visibility	171	4.4%
Turned Improperly	201	5.1%
Person Disregard	174	4.4%
Impaired	130	3.3%
Speed	75	1.9%
Risky Behavior	46	1.2%

Contributing Factors of Bicyclists

CF Category	n	%
FTYROW	1403	35.9%
Other	909	23.2%
Distraction (other than cell phone)	535	13.7%
Person Disregard	530	13.6%
Person Failure	506	12.9%
Wrong Way/Side or Approach	391	10.0%
Impaired	110	2.8%
Turned Improperly	107	2.7%
Impaired Visibility	53	1.4%
Speed	23	0.6%



Importance of Crash Reporting



- Contributing Factors
 - This section of the report is designed for the investigating officer to determine which factor(s) or condition(s) contributed to the crash for each unit.
- May Have Contributed Factors
 - This section is to record the fact that the condition was present, but the investigator is unable to determine whether the factor/condition contributed.

(TxDOT CR-100)



Contributing Factors Video





Importance of Crash Reporting

- Contributing Factors referencing pedestrians should be used only for pedestrians, not bicyclists or micromobility users.
- 36 = FTYROW – To Pedestrian
- 59 = Pedestrian FTYROW to Vehicle



Importance of Crash Reporting

- Capture the code for the traffic control that is present at the location of the crash, even though it may have had no bearing on the causation of the crash. (TxDOT CR-100)
- If more than one traffic control is present, indicate the one most affecting this crash. (TxDOT CR-100)

CODE SHEET VALUES FOR TRAFFIC CONTROL	
2 = Inoperative (Explain in Narrative)	11 = Center Stripe/Divider
3 = Officer	12 = No Passing Zone
4 = Flagman	13 = RR Gate/Signal
5 = Signal Light	15 = Crosswalk
6 = Flashing Red Light	16 = Bike Lane
7 = Flashing Yellow Light	17 = Marked Lanes
8 = Stop Sign	18 = Signal Light With Red Light Running Camera
9 = Yield Sign	96 = None
10 = Warning Sign	98 = Other (Explain in Narrative)



Importance of Crash Reporting





Importance of Crash Reporting

- Motor Vehicle vs. Motorized Conveyance
 - Motor Vehicle
 - ATVs
 - Golf Cart
 - Moped
 - Recreational Off Highway/Utility Vehicle
 - Autocycle



Importance of Crash Reporting



Motor Vehicle

ATVs



Golf Carts



Mopeds



Off Highway/
Utility Vehicles





Electric Bicycles



- "Electric bicycle" means a bicycle:
 - (A) equipped with:
 - (i) fully operable pedals; and
 - (ii) an electric motor of fewer than 750 watts; and
 - (B) with a top assisted speed of 28 miles per hour or less.
- Top assisted speed - the speed at which the bicycle's motor ceases propelling the bicycle or assisting the rider. (TTC 664.001)



Electric Bicycle Classes



■ Class 1

- Equipped with a motor that assists the rider only when the rider is pedaling; and
- Top assisted speed of 20 miles per hour or less.

■ Class 2

- Equipped with a motor that may be used to propel the bicycle without the pedaling of the rider; and
- Top assisted speed of 20 miles per hour or less.


■ Class 3

- Equipped with a motor that assists the rider only when the rider is pedaling; and
- Top assisted speed of more than 20 but less than 28 miles per hour.
- Must have a speedometer. (TTC 664.004)
- Must be 15 or older to operate. (TTC 551.107)

(TTC 664.001)



Electric Bicycles



Must be labeled with the class of the bicycle. (TTC 664.002)





Other Shared Mobility/Motor Vehicle Examples





Importance of Crash Reporting

- Motor Vehicle vs. Motorized Conveyance
 - Motorized Conveyance
 - Pocket Bikes
 - Go-carts
 - Riding Lawn Mowers
 - Segways
 - Motor Assisted Scooter (does not include moped, motorcycle or motor driven cycle)



Importance of Crash Reporting

Motorized Conveyance

Riding Lawn Mower



Segway




Motorized Mobility Device





Other Motorized Conveyance Examples





Importance of Crash Reporting

Data Driven Decision Making

- Engineering
- Education
 - Outreach
 - Training
- Enforcement
- Emergency Medical Services (EMS)



Importance of Crash Reporting

Engineering Decisions

- Traffic engineering departments rely on the crash data for decisions related to:
 - Traffic signal, pedestrian hybrid beacon, or all-way stop installation
 - Signal phasing changes like removing the permissive phase of a left turn movement
 - Safety countermeasures – high crash intersections/corridors



Importance of Crash Reporting

- Document the details with whatever tools/technology you have available
 - Body camera
 - Dashboard camera
 - Audio recording
 - Writing equipment
- Interview witnesses as soon as possible
- Treat every crash/citation as if it will be heard in court. You may have to testify.



Prioritizing Safety Risk



- Targeting the riskier behaviors such as:
 - Pedestrians not yielding when crossing outside of an intersection or crosswalk
 - Drivers not yielding when required
 - Bicyclist riding against traffic in road
 - Bicyclist not using light at night
- Using enforcement resources to have the greatest safety benefit





Additional Stakeholders/Resources

- Engineering
 - TxDOT
 - Local Transportation Departments
- Enforcement
 - Other LEAs (such as ISD and University PD's)
 - Data (DPS, TxDOT, TTI)
- Education
 - Bicycle and Pedestrian Safety Outreach Groups
 - TxDOT
 - TTI
 - School Districts
- What additional resources does law enforcement need?





END OF SECTION 3

What is one key takeaway from the third section of the course?



Post – Test Questions







Resources/Contact Information

- **Neal Johnson** – neal-johnson@tti.tamu.edu
- <https://www.walkbikesafetexas.org/law-enforcement-resources/>